

Health Benefits of Highbush Blueberries – Scientific Studies

Antioxidant Activity

- Seeram NP, Aviram M, Zhang Y, Henning SM, Feng L, Dreher M, Heber D. Comparison of antioxidant potency of commonly consumed polyphenol-rich beverages in the United States. *J Agric Food Chem* 2008; 56 (3) :1415-22.
- Wang CY, Wang SY, Chen C. Increasing antioxidant activity and reducing decay of blueberries by essential oils. *J Agric Food Chem* 2008; 56 (10) :3587-92.
- Wolfe KL, Kang X, He X, Dong M, Zhang Q, Liu RH. Cellular antioxidant activity of common fruits. *J Agric Food Chem* 2008; 56 (18) :8418-26.
- Seeram NP, Aviram M, Zhang Y, Henning SM, Feng L, Dreher M, Heber D. Comparison of antioxidant potency of commonly consumed polyphenol-rich beverages in the United States. *J Agric Food Chem* 2008; 56 (4) :1415-22.
- Prior RL, Gu L, Wu X, Jacob RA, Sotoudeh G, Kader AA, Cook RA. Plasma antioxidant capacity changes following a meal as a measure of the ability of a food to alter in vivo antioxidant status. *J Amer Coll Nutr* 2007; 26 (2) :170-81.
- Su M, Chien P. Antioxidant activity, anthocyanins, and phenolics of rabbiteye blueberry (*Vaccinium ashei*) fluid products as affected by fermentation. *Food Chem* 2007; 104 (1) :182-7.
- Wu X, Beecher G, Holden J, Haytowitz DB, Gebhardt SE, Prior RL. Lipophilic and hydrophilic antioxidant capacities of common foods in the United States. *J Agric Food Chem* 2004; 52 (12) :4026-37.
- Wu X, Gu L, Holden J, Haytowitz DB, Gebhardt SE, Beecher G, Prior RL. Development of a database for total antioxidant capacity in foods: a preliminary study. *J Food Comp Analysis* 2004; 17 (3-4) :407-22.
- Howard LR, Clark JR, Brownmiller C. Antioxidant capacity and phenolic content in blueberries as affected by genotype and growing season. *J Sci Food Agric* 2003; 83 (12) :1238-47.
- Zheng W, Wang SY. Oxygen radical absorbing capacity of phenolics in blueberries, cranberries, chokeberries, and lingonberries. *J Agric Food Chem* 2003; 51 (2) :502-9.
- Prior RL, Hoang H, Gu L, Wu X, Bacchiocca M, Howard LR, Hampsch-Woodill M, Huang D, Ou B, Jacob RA. Assays for hydrophilic and lipophilic antioxidant capacity (oxygen radical absorbance capacity (ORAC-FL)) of plasma and other biological and food samples. *J Agric Food Chem* 2003; 51 (11) :3273-9.
- Moyer RA, Hummer KE, Finn CE, Frei B, Wrolstad RE. Anthocyanins, phenolics, and antioxidant capacity in diverse small fruits: *Vaccinium*, *Rubus*, and *Ribes*. *J Agric Food Chem* 2002; 50 (3) :519-25.
- Ehlenfeldt MK, R.L. P. Oxygen radical absorbance capacity (ORAC) and phenolic and anthocyanin concentrations in fruit and leaf tissues of highbush blueberry. *J Agric Food Chem* 2001; 49 (5) :2222-7.
- Wang SY, Jiao H. Scavenging capacity of berry crops on superoxide radicals, hydrogen peroxide, hydroxyl radicals, and singlet oxygen. *J Agric Food Chem* 2000; 48 (11) :5677-84.
- Pedersen CB, Kyle J, M. JA, Gardner PT, McPhail DB, Duthie GG. Effects of blueberry and cranberry juice consumption on the plasma antioxidant capacity of healthy female volunteers. *Eur J Clin Nutr* 2000; 54 (5) :405-8.

- Cao G, Shukitt-Hale B, Bickford PC, Joseph JA, McEwen J, R.L. P. Hyperoxia-induced changes in antioxidant capacity and the effect of dietary antioxidants. *J Appl Physiol* 1999; 86 (6) :1817-22.
- Prior RL, Cao G, Martin A, Sofic E, McEwen J, C O, Lischner, Ehlenfeldt M, Kalt W, Krewer G, Mainland CM. Antioxidant capacity as influenced by total phenolic and anthocyanin content, maturity, and variety of *Vaccinium* species. *J Agric Food Chem* 1998; 46 (7) :2686-93.

Bioavailability/Metabolism

- Kalt W, B. BJ, McDonald JE, Vinqvist-Tymchuk MR, Fillmore SAE, Graf BA, O'Leary JM, Milbury P. Identification of anthocyanins in the liver, eye, and brain of blueberry-fed pigs. *J Agric Food Chem* 2008; 56 (3) :705-12.
- Stevenson DE, Cooney JM, Jensen DJ, Zhang J, Wibisono R. Comparison of the relative recovery of polyphenolics in two fruit extracts from a model of degradation during digestion and metabolism. *Mol Nutr Food Res* 2007; 51 (8) :939-45.
- Yi W, Akoh CC, Fischer J, Krewer G. Absorption of anthocyanins from blueberry extracts by caco-2 human intestinal cell monolayers. *J Agric Food Chem* 2006; 54 (15) :5651-8.

Blood Pressure

- Sakaida H, Nagao K, Higa K, Shirouchi B, Inoue N, Hidaka F, Kai,T., Yanagita T. Effect of *Vaccinium ashei* reade leaves on angiotensin converting enzyme activity in vitro and on systolic blood pressure of spontaneously hypertensive rats in vivo. *Biosci Biotechnol Biochem* 2007; 71 (9) :2335-7.
- McAnulty SR, McAnulty LS, Morrow JD, Khardouni D, Shooter L, Monk J, Gross S, Brown V. Effect of daily fruit ingestion on angiotensin converting enzyme activity, blood pressure, and oxidative stress in chronic smokers. *Free Radic Res* 2005; 39 (11) :1241-8.

Bone

- Devareddy L, Hooshmand S, Collins JK, Lucas EA, Chai SC, Arjmandi BH. Blueberry prevents bone loss in ovariectomized rat model of postmenopausal osteoporosis. *J Nutr Biochem* 2008; 19 :694-9

Brain Function

- Shukitt-Hale B, Lau FC, Joseph JA. Berry fruit supplementation and the aging brain. *J Agric Food Chem* 2008; 56 (3) :636-41.
- Shukitt-Hale B, Lau FC, Carey AN, Galli RL, Spangler EL, Ingram DK, Joseph JA. Blueberry polyphenols attenuate kainic acid-induced decrements in cognition and alter inflammatory gene expression in rat hippocampus. *Nutr Neurosci* 2008; 11 (4) :172-82.
- Williams CM, El Mohsen MA, Vauzour D, Rendeiro C, Butler LT, Ellis JA, Whiteman M, Spencer JPE. Blueberry-induced changes in spatial working memory correlate with changes in

hippocampal CREB phosphorylation and brain-derived neurotrophic factor (BDNF) levels. *Free Radic Biol Med* 2008; 45 :295-305.

- Zhu Y, Bickford PC, Sanberg P, Giunta B, Tan J. Blueberry opposes B-amyloid peptide-induced microglial activation via inhibition of p44/42 mitogen-activated protein kinase. *Rejuvenation Res* 2008; 11 (5) :891-901.
- Lau FC, Bielinski DF, Joseph JA. Inhibitory effects of blueberry extract on the production of inflammatory mediators in lipopolysaccharide-activated BV2 microglia. *J Neurosci Res* 2007; 85 (5) :1010-7.
- Shukitt-Hale B, Carey AN, Jenkins D, Rabin BM, Joseph JA. Beneficial effects of fruit extracts on neuronal function and behavior in a rodent model of accelerated aging. *Neurobiol Aging* 2007; 28 (8) :1187-94.
- Duffy KB, Spangler EL, Devan BD, Guo Z, Bowker JL, Janas AM, Hagepanos A, Minor RK, DeCabo R, Mouton PR, Shukitt-Hale B, Joseph JA, Ingram DK. A blueberry-enriched diet provides cellular protection against oxidative stress and reduces a kainate-induced learning impairment in rats. *Neurobiol Aging* 2007.
- Joseph JA, Carey A, Brewer GJ, Lau FC, Fisher DR. Dopamine and Ab-induced stress signaling and decrements in Ca²⁺ buffering in primary neonatal hippocampal cells are antagonized by blueberry extract. *J Alzheimers Dis* 2007; 11 (4) :433-46.
- Joseph JA, Shukitt-Hale B, Lau FC. Fruit polyphenols and their effects on neuronal signaling and behavior in senescence. *Ann NY Acad Sci* 2007; 1100 :470-85.
- Yao Y, Vieira A. Protective activities of Vaccinium antioxidants with potential relevance to mitochondrial dysfunction and neurotoxicity. *Neurotoxicology* 2007; 28 (1) :93-100.
- de Rivera C, Shukitt-Hale B, Joseph JA, Mendelson JR. The effects of antioxidants in the senescent auditory cortex. *Neurobiol Aging* 2006; 27 (7) :1035-44.
- Barros D, Amaral OB, Izquierdo I, Geracitano L, do Carmo Bassols Raseira M, Henriques AT, Ramirez MR. Behavioral and genoprotective effects of Vaccinium berries intake in mice. *Pharmacol Biochem Behav* 2006; 84 (2) :229-34.
- Galli RL, Bielinski DF, Szprengiel A, Shukitt-Hale B, Joseph JA. Blueberry supplemented diet reverses age-related decline in hippocampal HSP70 neuroprotection. *Neurobiol Aging* 2006; 27 (2) :344-50.
- Wilson MA, Shukitt-Hale B, Kalt W, Ingram DK, Joseph JA, Wolkow CA. Blueberry polyphenols increase lifespan and thermotolerance in *Caenorhabditis elegans*. *Aging Cell* 2006; 5 (2) :59-68.
- S.O. M, Sortwell CE, Shukitt-Hale B, Joseph JA, Hejna MJ, Collier TJ. Dietary supplementation with blueberry extract improves survival of transplanted dopamine neurons. *Nutr Neurosci* 2006; 9 (5/6) :251-8.
- Joseph JA, Fisher DR, Carey AN, Bielinski DF. Dopamine-induced stress signaling in COS-7 cells transfected with selectively vulnerable muscarinic receptor subtypes is partially mediated via the i3 loop and antagonized by blueberry extract. *J Alzheimers Dis* 2006; 10 (4) :423-37.
- Lau FC, Shukitt-Hale B, Joseph JA. Beneficial effects of berry fruit polyphenols on neuronal and behavioral aging. *J Sci Food Agric* 2006; 86 (14) :2251-5.
- Joseph JA, Fischer DR, Bielinski D. Blueberry extract alters oxidative stress-mediated signaling in COS-7 cells transfected with selectively vulnerable muscarinic receptor subtypes. *J Alzheimers Dis* 2006; 9 (1) :35-42.

- Andres-Lacueva C, Shukitt-Hale B, Galli RL, Jauregui O, Lamuela-Raventos RM, Joseph JA. Anthocyanins in aged blueberry-fed rats are found centrally and may enhance memory. *Nutr Neurosci* 2005; 8 (2) :111-20.
- Ramirez MR, Izquierdo I, do Carmo Bassols Raseira M, Zuanazzi JA, Barros D, Henriques AT. Effect of lyophilised Vaccinium berries on memory, anxiety and locomotion in adult rats. *Pharmacol Res* 2005; 52 (6) :457-62.
- Wang Y, Chang C-F, Chou J, Chen H-L, Deng X, Harvey BK, Cadet JL, Bickford PC. Dietary supplementation with blueberries, spinach, or spirulina reduces ischemic brain damage. *Exp Neurol* 2005; 193 (1) :75-84.
- Stromberg I, Gemma C, Vila J, Bickford PC. Blueberry- and spirulina-enriched diets enhance striatal dopamine recovery and induce a rapid, transient microglia activation after injury of the rat nigrostriatal dopamine system. *Exp Neurol* 2005; 196 (2) :298-307.
- Lau FC, Shukitt-Hale B, Joseph JA. The beneficial effects of fruit polyphenols on brain aging. *Neurobiol Aging* 2005; 26S (1) :S128-32.
- Willis L, Bickford P, Zaman V, Moore A, Granholm A. Blueberry extract enhances survival of intraocular hippocampal transplants. *Cell Transplant* 2005; 14 (4) :213-23.
- Joseph JA, Shukitt-Hale B, Casadesus G. Reversing the deleterious effects of aging on neuronal communication and behavior: beneficial properties of fruit polyphenolic compounds. *Am J Clin Nutr* 2005; 81 (1 Suppl) :313S-6S.
- Rabin BM, Joseph JA, Shukitt-Hale B. Effects of age and diet on the heavy particle-induced disruption of operant responding produced by a ground-based model for exposure to cosmic rays. *Brain Res* 2005; 1036 (1-2) :122-9.
- Shukitt-Hale B, Galli RL, Meterko V, Carey A, Bielinski DF, McGhie T, Joseph JA. Dietary supplementation with fruit polyphenolics ameliorates age-related deficits in behavior and neuronal markers of inflammation and oxidative stress. *Age* 2005; 27 :49-57.
- Joseph JA, Shukitt-Hale B, Casadesus G, Fisher D. Oxidative stress and inflammation in brain aging: nutritional considerations. *Neurochem Res* 2005; 30 (6/7) :927-35.
- Casadesus G, Shukitt-Hale B, Stellwagen HM, Zhu X, Lee H-G, Smith MA, Joseph JA. Modulation of hippocampal plasticity and cognitive behavior by short-term blueberry supplementation in aged rats. *Nutr Neurosci* 2004; 7 (5-6) :309-16.
- Goyarzu P, Malin DH, Lau FC, Tagliatalata G, Moon WD, Jennings R, Moy E, D. M, Lippold S, Shukitt-Hale B, Joseph JA. Blueberry supplemented diet: effects on object recognition memory and nuclear factor-kappa B levels in aged rats. *Nutr Neurosci* 2004; 7 (2) :75-83.
- Joseph JA, Denisova NA, Arendash G, Gordon M, Diamond D, Shukitt-Hale B, Morgan D. Blueberry supplementation enhances signaling and prevents behavioral deficits in an Alzheimer disease model. *Nutr Neurosci* 2003; 6 (3) :153-62.
- Youdim KA, Shukitt-Hale B, Martin A, Wang H, Denisova NA, Bickford PC, Joseph JA. Short-term dietary supplementation of blueberry polyphenolics: Beneficial effects on aging brain performance and peripheral tissue function. *Nutr Neurosci* 2000; 3 :383-97.
- Bickford PC, Gould T, Briederick L, Chadman K, Pollock A, Young D, Shukitt-Hale B, Joseph JA. Antioxidant-rich diets improve cerebellar physiology and motor learning in aged rats. *Brain Res* 2000; 866 (1-2) :211-7.
- Joseph JA, Shukitt-Hale B, Denisova NA, Bielinski DF, Martin A, McEwen J, Bickford PC. Reversals of age-related declines in neuronal signal transduction, cognitive, and motor

behavioral deficits with blueberry, spinach, or strawberry dietary supplementation. *J Neurosci* 1999; 19 (18) :8114-21.

Cancer

- Gordillo G, Fang H, Khanna S, Harper J, Phillips G, Sen CK. Oral administration of blueberry inhibits angiogenic tumor growth and enhances survival of mice with endothelial cell neoplasm. *Antioxid Redox Signal* 2009; 11 (1) :47-58.
- Aiyer HS, Srinivasan C, Gupta RC. Dietary berries and ellagic acid diminish estrogen-mediated mammary tumorigenesis in ACI rats. *Nutr Cancer* 2008; 60 (2) :227-34.
- McDougall GJ, Ross HA, Ikeji M, Stewart D. Berry extracts exert different antiproliferative effects against cervical and colon cancer cells grown in vitro. *J Agric Food Chem* 2008; 56 (9) :3016-23.
- Srivastava A, Akoh CC, Fischer J, Krewer G. Effect of anthocyanin fractions from selected cultivars of Georgia-grown blueberries on apoptosis and phase II enzymes. *J Agric Food Chem* 2007; 55 (8) :3180-5.
- Suh N, Paul S, Hao X, Simi B, Xiao H, Rimando AM, Reddy BS. Pterostilbene, an active constituent of blueberries, suppresses aberrant crypt foci formation in the azoxymethane-induced colon carcinogenesis model in rats. *Clin Cancer Res* 2007; 13 (1) :350-5.
- Huang C, Zhang D, Li J, Tong Q, Stoner, G. D. Differential inhibition of UV-induced activation of NFkB and AP-1 by extracts from black raspberries, strawberries, and blueberries. *Nutr Cancer* 2007; 58 (2) :205-12.
- Neto CC. Cranberry and blueberry: Evidence for protective effects against cancer and vascular disease. *Mol Nutr Food Res* 2007; 51 (6) :652-64.
- Wilms LC, Boots AW, deBoer VCJ, Maas, Pachen DMFA, Gottschalk WH, Ketelslegers HB, Godschalk RWL, Haenen GRMM, van Schooten FJ, Kleinjans JCS. Impact of multiple genetic polymorphisms on effects of a 4-week blueberry juice intervention on ex vivo induced lymphocytic DNA damage in human volunteers. *Carcinogenesis* 2007; 28 (8) :1800-6.
- Russell WR, Labat A, Scobbie L, Duncan SH. Availability of blueberry phenolics for microbial metabolism in the colon and the potential inflammatory implications. *Mol Nutr Food Res* 2007; 51 (6) :726-31.
- Boateng J, Verghese M, Shackelford L, Walker LT, Khatiwada J, Ogutu S, Williams DS, Jones J, Guyton M, Asiamah D, Henderson F, Grant L, DeBruce M, Johnson A, Washington S, Chawan CB. Selected fruits reduce azoxymethane (AOM)-induced aberrant crypt foci (ACF) in Fisher 344 male rats. *Food Chem Toxicol* 2007; 45 (5) :725-32.
- Seeram NP, Adams LS, Zhang Y, Lee R, Sand D, Scheuller HS, Heber D. Blackberry, black raspberry, blueberry, cranberry, red raspberry, and strawberry extracts inhibit growth and stimulate apoptosis of human cancer cells in vitro. *J Agric Food Chem* 2006; 54 (25) :9329-39.
- Schmidt BM, Erdman JWJ, Lila MA. Differential effects of blueberry proanthocyanidins on androgen sensitive and insensitive human prostate cancer cell lines. *Cancer Lett* 2006; 231 (2) :240-6.
- Skupien K, Oszmianski J, Kostrzewa-Nowak D, Tarasiuk J. In vitro antileukaemic activity of extracts from berry plant leaves against sensitive and multidrug resistant HL60 Cells. *Cancer Lett* 2006; 236 (2) :282-91.

- Yi W, Akoh CC, Fischer J, Krewer G. Effects of phenolic compounds in blueberries and muscadine grapes on HepG2 cell viability and apoptosis. *Food Research Intl* 2006; 39 (5) :628-38.
- Yi W, Fischer J, Krewer G, Akoh CC. Phenolic compounds from blueberries can inhibit colon cancer cell proliferation and induce apoptosis. *J Agric Food Chem* 2005; 53 (18) :7320-9.
- Wilms LC, Hollman PCH, Boots AW, Kleinjans JCS. Protection by quercetin and quercetin-rich fruit juice against induction of oxidative DNA damage and formation of BPDE-DNA adducts in human lymphocytes. *Mutat Res* 2005; 582 (1-2) :155-62.
- Adebamowo CA, Cho E, Sampson L, Katan MB, Spiegelman D, Willett WC, Holmes MD. Dietary flavonols and flavonol-rich foods intake and the risk of breast cancer. *Int J Cancer* 2005; 114 (4) :628-33.
- Smith SH, Tate PL, Huang G, Magee JB, Meepagala KM, Wedge DE, Larcom LL. Antimutagenic activity of berry extracts. *J Med Food* 2004; 7 (4) :450-5.
- Olsson ME, Gustavsson K, Andersson S, Nilsson A, Duan R. Inhibition of cancer cell proliferation in vitro by fruit and berry extracts and correlations with antioxidant levels. *J Agric Food Chem* 2004; 52 (24) :7264-71.
- Wedge DE, Meepagala KM, Magee JB, Smith SH, Huang G, Larcom LL. Anticarcinogenic activity of strawberry, blueberry, and raspberry extracts to breast and cervical cancer cells. *J Med Food* 2001; 4 (1) :49-51.

Composition

- Kalt W, MacKinnon S, McDonald J, Vinqvist M, Craft C, Howell A. Phenolics of Vaccinium

- Riihinen K, Jaakola L, Karenlampi S, Hohtola A. Organ-specific distribution of phenolic compounds in bilberry (*Vaccinium myrtillus*) and 'northblue' blueberry (*Vaccinium corymbosum* x *V. angustifolium*). *Food Chem* 2008; 110 (1) :156-60.
- Castrejon ADR, Eichholz I, Rohn S, Kroh LW, Huyskens-Keil S. Phenolic profile and antioxidant activity of highbush blueberry (*Vaccinium corymbosum* L.) during fruit maturation and ripening. *Food Chem* 2008; 109 (3) :564-72.
- Wang SY, Chen C, Sciarappa W, Wang CY, Camp MJ. Fruit quality, antioxidant capacity, and flavonoid content of organically and conventionally grown blueberries. *J Agric Food Chem* 2008; 56 (14) :5788-94.
- Saftner R, Polashock J, Ehlenfeldt M, Vinyard B. Instrumental and sensory quality characteristics of blueberry fruit from twelve cultivars. *Postharvest biology and technology* 2008; 49 (1) :19-26.
- Lohachoompol V, Mulholland M, Srzednicki G, Craske J. Determination of anthocyanins in various cultivars of highbush and rabbiteye blueberries. *Food Chem* 2008; 111 (1) :249-54.
- Vicente AR, Ortugno C, Rosli H, Powell ALT, Greve LC, Labavitch JM. Temporal sequence of cell wall disassembly events in developing fruits. 2. Analysis of blueberry (*Vaccinium* species). *J Agric Food Chem* 2007; 55 (10) :4125-30.
- Kalt W, Howell AB, MacKinnon SL, Goldman IL. Selected bioactivities of *Vaccinium* berries and other fruit crops in relation to their phenolic contents. *J Sci Food Agric* 2007; 87 (12) :2279-85.
- Alkharouf NW, Dhanaraj AL, Naik D, Overall C, Matthews BF, Rowland LJ. BBGD: an online database for blueberry genomic data. *BMC Plant Biol* 2007; 7 (5).
- Kopenen JM, Happonen AM, Mattilla PH, Torronen AR. Contents of anthocyanins and ellagitannins in selected foods consumed in Finland. *J Agric Food Chem* 2007; 55 (4) :1612-9.
- Wu X, Beecher G, Holden J, Haytowitz DB, Gebhardt SE, Prior RL. Concentrations of anthocyanins in common foods in the United States and estimation of normal consumption. *J Agric Food Chem* 2006; 54 (11) :4069-75.
- Harnly JM, Doherty RF, Beecher G, Holden J, Haytowitz DB, Bhagwat S, Gebhardt SE. Flavonoid content of U.S. fruits, vegetables, and nuts. *J Agric Food Chem* 2006; 54 (26) :9966-77.
- Cho MJ, Howard LR, Prior RL, Clark JR. Flavonol glycosides and antioxidant capacity of various blackberry and blueberry genotypes determined by high-performance liquid chromatography/mass spectrometry. *J Sci Food Agric* 2005; 85 (13) :2149-58.
- Silva JL, Marroquin E, Matta FB, Garner JOJ, Stojanovic J. Physicochemical, carbohydrate and sensory characteristics of highbush and rabbiteye blueberry cultivars. *J Sci Food Agric* 2005; 85 (11) :1815-21.
- Parry J, Su L, Luther M, Zhou K, Yurawecz MP, Whittaker P, Yu L. Fatty acid composition and antioxidant properties of cold-pressed marionberry, boysenberry, red raspberry, and blueberry seed oils. *J Agric Food Chem* 2005; 53 (3) :566-73.
- Wu X, R.L. P. Systematic identification and characterization of anthocyanins by HPLC-ESI-MS/MS in common foods in the United States: fruits and berries. *J Agric Food Chem* 2005; 53 (7) :2589-99.
- Rimando AM, Kalt W, Magee JB, Dewey J, Ballington JR. Resveratrol, pterostilbene, and piceatannol in *Vaccinium* berries. *J Agric Food Chem* 2004; 52 (15) :4713-9.

- Taruscio TG, Barney DL, Exon J. Content and profile of flavanoid and phenolic acid compounds in conjunction with the antioxidant capacity for a variety of northwest *Vaccinium* berries. *J Agric Food Chem* 2004; 52 (10) :3169-76.
- Nakajima J, Tanaka I, Seo S, Yamazaki M, Saito K. LC/PDA/ESI-MS profiling and radical scavenging activity of anthocyanins in various berries. *J Biomed Biotechnol* 2004; 2004 (5) :241-7.
- Wu X, Gu L, Holden J, Haytowitz DB, Gebhardt SE, Beecher G, Prior RL. Development of a database for total antioxidant capacity in foods: a preliminary study. *J Food Comp Analysis* 2004; 17 (3-4) :407-22.
- Lyons MM, Yu C, Toma RB, Cho SY, Reiboldt W, Lee J, van Breemen RB. Resveratrol in raw and baked blueberries and bilberries. *J Agric Food Chem* 2003; 51 (20) :5867-70.
- Sanchez-Moreno C, Cao G, Ou B, Prior RL. Anthocyanin and proanthocyanidin content in selected white and red wines. Oxygen radical absorbance capacity comparison with nontraditional wines obtained from highbush blueberry. *J Agric Food Chem* 2003; 51 (17) :4889-96.
- Howard LR, Clark JR, Brownmiller C. Antioxidant capacity and phenolic content in blueberries as affected by genotype and growing season. *J Sci Food Agric* 2003; 83 (12) :1238-47.
- Sellappan S, Akoh CC, Krewer G. Phenolic compounds and antioxidant capacity of Georgia-grown blueberries and blackberries. *J Agric Food Chem* 2002; 50 (8) :2432-8.
- Prior RL, Lazarus SA, Cao G, Muccitelli H, Hammerstone JF. Identification of procyanidins and anthocyanins in blueberries and cranberries (*Vaccinium* Spp.) using high-performance liquid chromatography/mass spectrometry. *J Agric Food Chem* 2001; 49 (3) :1270-6.
- Kalt W, Ryan DAJ, Duy JC, Prior RL, Ehlenfeldt M, Vander Kloet SP. Interspecific variation in anthocyanins, phenolics, and antioxidant capacity among genotypes of highbush and lowbush blueberries (*Vaccinium* section *cyanococcus* spp.). *J Agric Food Chem* 2001; 49 (10) :4761-7.
- Wang J, Kalt W, Sporns P. Comparison between HPLC and MALDI-TOF MS analysis of anthocyanins in highbush blueberries. *J Agric Food Chem* 2000; 48 (8) :3330-5.
- Hakkinen SH, Karenlampi SO, Heinonen OM, Mykkanen HM, Torronen AR. Content of the flavonols quercetin, myricetin, and kaempferol in 25 edible berries. *J Agric Food Chem* 1999; 47 (6) :2274-9.
- Kader F, Haluk J-P, Nicolas J-P, Metche M. Degradation of cyanidin 3-glucoside by blueberry polyphenol oxidase: kinetic studies and mechanisms. *J Agric Food Chem* 1998; 46 (8) :3060-5.

Exercise

- Sanchez-Moreno C, Kimler VA, Cordts FL, Cady JA, Weller MA, Dumper JW, Williams P, Pink FE, Rasmussen HM, Jimenez-Escrig A, Martin A, Joseph JA, Marks CRC. Effect of a blueberry nutritional supplement on macronutrients, food group intake, and plasma vitamin E and vitamin C in US athletes. *Int J Food Sci Nutr* 2008.
- McAnulty SR, McAnulty LS, Nieman DC, Dumke CL, Morrow JD, Utter AC, Henson DA, Proulx WR, George GL. Consumption of blueberry polyphenols reduces exercise-induced oxidative stress compared to vitamin C. *Nutr Res* 2004; 24 (3) :209-21.

Food Safety

- Wu V, B. K. Effect of a simple chlorine dioxide method for controlling five foodborne pathogens, yeasts and molds on blueberries. *Food Microbiology* 2007; 24 (7-8) :794-

- Bialka KL, Demirci A. Decontamination of Escherichia coli 0157:H7 and Salmonella enterica on blueberries using ozone and pulsed UV-light. J Food Sci 2007; 72 (9) :M391-6.
- Popa I, Hanson EJ, Todd ECD, Schilder AC, Ryser ET. Efficacy of chlorine dioxide gas sachets for enhancing the microbiological quality and safety of blueberries. J Food Prot 2007; 70 (9) :2084-8.

General Health

- Kalt W, Joseph JA, Shukitt-Hale B. Blueberries and human health: A review of current

- Beattie J, Crozier A, Duthie GG. Potential health benefits of berries. *Curr Nutr Food Sci* 2005; 1 :71-86.

Lipids/Obesity

- Tsuda T. Regulation of adipocyte function by anthocyanins; possibility of preventing the metabolic syndrome. *J Agric Food Chem* 2008; 56 (3) :642-6.
- Prior RL, Wu X, Gu L, Hager TJ, Hager A, Howard LR. Whole berries versus berry anthocyanins: interactions with dietary fat levels in the C57BL/6J mouse model of obesity. *J Agric Food Chem* 2008; 56 (3) :647-53.
- Kalt W, Foote, Fillmore SAE, Lyon, Van Lunen, McRae KB. Effect of blueberry feeding on plasma lipids in pigs. *Br J Nutr* 2008; 100 (1) :70-8.
- Molan AL, Lila MA, Mawson J. Satiety in rats following blueberry extract consumption induced by appetite-suppressing mechanisms unrelated to in vitro or in vivo antioxidant capacity. *Food Chem* 2008; 107 (3) :1039-44.
- Nagao K, Higa K, Shirouchi B, Nomura S, Inoue N, Inafuku M, Yanagita T. Effect of *Vaccinium ashei* reade leaves on lipid metabolism in Otsuka Long-Evans Tokushima fatty rats. *Biosci Biotechnol Biochem* 2008; 72 (6) :1619-22.
- Kahlon TS, Smith GE. In vitro binding of bile acids by blueberries (*Vaccinium* spp.), plums (*Prunus* spp.), prunes (*Prunus* spp.) strawberries (*Fragaria X ananassa*), cherries (*Malpighia punicifolia*), cranberries (*Vaccinium macrocarpon*) and apples (*Malus sylvestris*). *Food Chem* 2007; 100 (3) :1182-7.

Probiotics

- Osman N, Adawi D, Ahrne S, Jeppsson B, Molin G. Probiotics and blueberry attenuate the severity of dextran sulfate sodium (DSS)-induced colitis. *Dig Dis Sci* 2008; 53 (9) :2464-73.
- Osman N, Adawi D, Ahrne S, Jeppsson B, Molin G. Endotoxin- and D-galactosamine-induced liver injury improved by the administration of *Lactobacillus*, *Bifidobacterium* and blueberry. *Dig Liver Dis* 2007; 39 (9) :849-56.

Skin

- Pageon H, Taecher M-P, Asselineau D. Reconstructed skin modified by glycation of the dermal equivalent as a model for skin aging and its potential use to evaluate anti-glycation molecules. *Exp Gerontol* 2008; 43 (6) :584-8

Storage and Processing

- Perkins-Veazie P, Collins JK, Howard LR. Blueberry fruit response to postharvest application of ultraviolet radiation. *Postharvest biology and technology* 2008; 47 (3) :280-5.

- Brambilla A, Lo Scalzo R, Bertolo G, Torreggiani D. Steam-blanching highbush blueberry (*Vaccinium corymbosum* L.) juice: Phenolic profile and antioxidant capacity in relation to cultivar selection. *J Agric Food Chem* 2008; 56 (8) :2643-8.
- Almenar E, Samsudin H, Auras R, Harte B, Rubino M. Postharvest shelf life extension of blueberries using a biodegradable package. *Food Chem* 2008; 110 (1) :120-7.
- Wang CY, Wang SY, Chen C. Increasing antioxidant activity and reducing decay of blueberries by essential oils. *J Agric Food Chem* 2008; 56 (10) :3587-92.
- Brownmiller C, L.R. H, R.L. P. Processing and storage effects on monomeric anthocyanins, percent polymeric color, and antioxidant capacity of processed blueberry products. *J Food Sci* 2008; 73 (5) :H72-9.
- Shi J, Pan Z, McHugh TH, Wood D, Zhu Y, Avena-Bustillos RJ, Hirschberg E. Effect of berry size and sodium hydroxide pretreatment on the drying characteristics of blueberries under infrared radiation heating. *J Food Sci* 2008; 73 (6) :E259-65.
- Fan L, Forney CF, Song J, Doucette C, Jordan MA, McRae KB, Walker BA. Effect of hot water treatments on quality of highbush blueberries. *J Food Sci* 2008; 73 (6) :M292-7.
- Trost K, Golc-Wondra A, Prosek M, Milivojevic I. Anthocyanin degradation of blueberry-aronia nectar in glass compared with carton during storage. *J Food Sci* 2008; 73 (8) :S405-11.
- Shi J, Pan Z, McHugh TH, Wood D, Hirschberg E, Olson D. Drying and quality characteristics of fresh and sugar-infused blueberries dried with infrared radiation heating. *Food Science and Technology* 2008; 41 (10) :1962-72.
- Srivastava A, Akoh CC, Yi W, Fischer J, Krewer G. Effect of storage conditions on the biological activity of phenolic compounds of blueberry extract packed in glass bottles. *J Agric Food Chem* 2007; 55 (7) :2705-13.
- Schotsmans W, Molan A, MacKay B. Controlled atmosphere storage of rabbiteye blueberries enhances postharvest quality aspects. *Postharvest biology and technology* 2007; 44 (3) :277-85.
- Su M, Chien P. Antioxidant activity, anthocyanins, and phenolics of rabbiteye blueberry (*Vaccinium ashei*) fluid products as affected by fermentation. *Food Chem* 2007; 104 (1) :182-7.
- Nindo CI, Tang J, Powers JR, Takhar PS. Rheological properties of blueberry puree for processing applications. *Food Science and Technology* 2007; 40 (2) :292-9.
- Schmidt BM, Erdman JWJ, Lila MA. Effects of food processing on blueberry antiproliferation and antioxidant activity. *J Food Sci* 2005; 70 (6) :S389-94.
- Lohachoompol V, Szrednicki G, Craske J. The change of total anthocyanins in blueberries and their antioxidant effect after drying and freezing. *J Biomed Biotechnol* 2004; 5 (5) :248-52.
- Lee J, Wrolstad RE. Extraction of anthocyanins and polyphenolics from blueberry processing waste. *J Food Sci* 2004; 69 (7) :C564-73.
- Zheng Y, Wang CY, Wang SY, Zheng W. Effect of high-oxygen atmospheres on blueberry phenolics, anthocyanins, and antioxidant capacity. *J Agric Food Chem* 2003; 51 (24) :7162-9.
- Rossi M, Giussani E, Morelli R, R. LS, Nani RC, Torreggiani D. Effect of fruit blanching on phenolics and radical scavenging activity of highbush blueberry juice. *Food Research Intl* 2003; 36 (9-10) :999-1005.
- Connor AM, Luby JJ, Hancock JF, Berkheimer S, Hanson EJ. Changes in fruit antioxidant activity among blueberry cultivars during cold-temperature storage. *J Agric Food Chem* 2002; 50 (4) :893-8.
- Lee J, Durst R, Wrolstad RE. Impact of juice processing on blueberry anthocyanins and polyphenolics: Comparison of two pretreatments. *J Food Sci* 2002; 67 (5) :1660-7.

- Kader F, Irmouli M, Nicolas JP, Metche M. Involvement of blueberry peroxidase in the mechanisms of anthocyanin degradation in blueberry juice. *J Food Sci* 2002; 67 (3) :910-5.
- G. M, Faupel M, Morris J, McNew R. Quality and stability of blueberry juice blended with apple, grape and cranberry juice. *J Food Qual* 2001; 24 (2) :111-25.
- Skrede G, Wrolstad RE, Durst R. Changes in anthocyanins and polyphenolics during juice processing of highbush blueberries (*Vaccinium corymbosum* L.). *J Food Sci* 2000; 65 (2) :357-64.
- Kalt W, Forney CF, Martin A, R.L. P. Antioxidant capacity, vitamin C, phenolics, and anthocyanins after fresh storage of small fruits. *J Agric Food Chem* 1999; 47 (11) :4638-44.

Urinary Tract

- Jepson RG, Craig JC. A systematic review of the evidence for cranberries and blueberries in

- Ofek I, Goldhar J, Sharon N. Anti-escherichia coli adhesin activity of cranberry and blueberry juices. In: Ka Ofek, editor. *Toward Anti-Adhesion Therapy for Microbial Diseases*. New York: Plenum Press; 1996; p. 179-83.